

Embodied carbon emissions in Australia's built environment

Climate change action at the national scale



July 2025



We are a full-service sustainability firm. We offer services, tools and software that connect to meet

all our client's business needs.



Product



Carbon



Strategy



Reporting



Communication



Software



sustainability experts


cities in Australia and New Zealand

international clients

Agenda



- → Defining the problem
- → Built environment challenges
- → Finding solutions
- → The way forward
- → What's next




World Green Building Council Report 2019

Embodied carbon is:

- \rightarrow GHG emissions, as CO₂-eq.
- → Non-operational emissions
- → Within the project life cycle boundary

The sum of:


- → Upfront carbon
- → Use stage embodied carbon
- → End of life carbon



Graphic reproduced from World Green Building Council, 2019

Embodied carbon within a project life cycle






Report from Green Building Council of Australia & thinkstep-anz 2021




Report on **embodied and operational carbon** of all buildings across Australia.

- → The share of embodied carbon in buildings is small but growing
- → Embodied emissions will exceed operational well before 2050
- → Tackling embodied carbon requires action on process heat and chemical process emissions




Share of embodied carbon in national emissions





Building emissions in Australia






Infrastructure Australia report 2024










Sources of embodied carbon and sectors






75%

90%


100%





Collaboration building and construction industry





Seven decarbonisation dilemmas



The seven decarbonisation dilemmas



1. DIRECTION

Bringing lower-carbon construction to the mainstream



2. DEVELOP

Building industry capacity to decarbonise



3. DISCLOSE

Methods, data and reporting



4. DEMAND

Clarity, consistency and confidence



5. DESIGN

The best decisions from concept to completion



6. DETAIL

The best product options




7. DELIVER

Delivering lower-carbon assets


Collaboration building and construction industry






Trajectory





Material decarbonisation trajectory









Finding solutions






250 national, state and city regulations, policies and action plans from over 20 countries, including 104 regulatory instruments were reviewed.



34 sources were researched using a defined parameter set to extract critical information to inform Australia's directions for government and industry.



30 leading policy sources from 11 countries were analysed.



International policy overview



Country	Buildings / Infrastructure Requirements	Products Requirements	EPDs	Upfront A1 – A5	Use Phase Embodied B1 - B5	Operational B6	End of Life C1 - C4 (D where noted)
Canada	Major construction projects 30% reduction in embodied carbon.	Cement, ready-mix concrete, precast and prestressed concrete elements and concrete masonry block.	Υ	Y	N	N	Y
China	Reduce operational emissions, report embodied carbon. Residential and public buildings.		-	Y	Y	Y	Y
Denmark	New buildings above 1000 m 2 must comply with the limit value of 12 kg $\rm CO_2$ -equivalent/m 2 /year.		Υ	A1 - A3	B4	Y	C3, C4, D
Finland	Expected reporting and future limit values for buildings. Not yet clear.	Will be declared.	-	-	-	-	-
France	Embodied carbon is capped for new buildings and building extensions. Includes carbon storage. Expressed as kg $\rm CO_2 eq/m^2$. The entire life cycle impact for the building is calculated for information purposes.		-	Υ	Y	N for cap calc Y for info only	C&D
Ireland	Carbon Management Systems for large infrastructure projects with whole lifecycle GHG assessment.	Longer-life and lower-carbon cement blends in public contracts, minimum clinker replacement of 30%. Use EPDs when directly procuring cement or concrete products.	Y concrete only	Υ	Y	Υ	Υ
Netherlands	Measure, reduce and target (reducing the embodied carbon of major construction projects measured by 'MPG'). All new residential and office buildings over 100 m ² .		Y	Y	Y	N	C&D
Singapore	Green Mark rating tool incentivises embodied carbon measurement and reduction. Heavy focus on energy efficiency. Mandate for new public sector buildings over 5,000 m ² air-conditioned area to use Green Mark certification.	Concrete, glass and steel.	-	Υ	-"	Y	-
Sweden	Mandatory LCAs for Modules A and C for buildings over 100,000 m ² (exclusions apply to industrial, agricultural and some other buildings). Building's envelope, load-bearing structures, and interior walls must be included.		Υ	Υ	Υ	N	Υ
	Target to be introduced by 2027.						
UK	Proposing upfront carbon limits to be published, still in early stages. Report carbon from all life cycle stages.		Υ	Υ	Υ	Y	C&D

What is the solution?



- → Global alignment does not exist
- → There is no perfect answer; no 'silver bullet' that solves everything
- → Different approaches across Australia are slowing progress
- → Stakeholders are clear on what they need



ASBEC





ASBEC Embodied Carbon Consultation Report

Australia's policy roadmap to reduce upfront embodied carbon in the built environment

Created by thinkstep-anz on behalf of ASBEC



Bold policy measures now

so we influence the current development pipeline. By the time the current policy signals turn into meaningful policy, we will have completed a large portion of our investment pipelines in a BAU, high-carbon, high-cost standard."

The most important action, I believe, will be to have **EPDs for as** many products as possible to allow transparent comparison."

Support to deliver **sufficient**renewable electricity to enable
(manufacturing) to access adequate
amounts of reliable & cost competitive
electricity..."

Keep talking to industry as you are."

To be effective for change, there needs to be alignment and harmonisation of the right policy levers across all tiers of government and departments."

Reducing
embodied carbon
through design will
reap the greatest
savings."

A fundamental design approach is using materials to their highest purpose."

We support the need for **EPD**measurement

approaches to be utilised as a highly accepted domestic and international form of carbon measurement."

Clarity and consistency around policy, implementation timing and action mitigates against inefficient or unforeseen investment."

Ensure what is specified is installed."

Reward those who opt to **build less and use alternate options** to deliver services."


Allow manufacturers
to use more recycled
and waste
materials."

Clear and concise
education and
value-based
rationales directed to
those who aren't
already on a mission
to reduce upfront
carbon."

thinkstep

regulation will
incentivise the
supply chain to seek
out products with low
levels of embodied
carbon."





National Australian Built Environment Rating System: NABERS Embodied Carbon




NABERS Embodied Carbon

is a rating tool for measuring upfront embodied carbon in large buildings in Australia

It uses:

- → process-based LCA
- → product-specific emission factors
- → proof of installing specified products



Green Star Buildings



Green Star Buildings

is a rating tool for holistic sustainability for buildings in Australia, New Zealand and South Africa.

Upfront Carbon requirements since 2020

- → Minimum 10% reduction compared to national average construction
- → Higher ratings need 20% or 40% reduction



ASBEC's 4 levers





Reform **planning and procurement** to encourage low carbon projects



Reduce demand for carbon-intensive materials by **improving building design and material efficiency**




Scale up **supply chain decarbonisation** to increase the supply
of low embodied carbon materials



Transition to **fossil fuel free transport and construction**

Decarbonisation hierarchy







Australia's built environment priorities





Australia's built environment priorities:

- → Industry education
- → Government policy
- → Manufacturing transition



Steel industry must focus on:

- → Everything!
- → Large-scale technology transition
- → Incremental change
- → How the transition is communicated



Nicole Sullivan

Impact Director, thinkstep-anz

+61 419 750 083

Nicole.Sullivan@thinkstep-anz.com

Sydney | Melbourne | Perth | Canberra | Adelaide Wellington | Auckland | Christchurch | Hamilton | Rotorua | Tauranga







thinkstep-anz







Succeed sustainably

thinkstep-anz.com

Sydney | Melbourne | Perth | Canberra | Adelaide Wellington | Auckland | Christchurch | Hamilton | Rotorua | Tauranga







thinkstep-anz



